NOTES:


1. SUBSTRATE MATERIAL: N-BK7


2. COATING (APPLY ACROSS CLEAR APERTURE)

\$1 & \$2: NIR I (600-1050nm) R(AVG) ≤0.5% @ 600 - 1050nm

3. FINE GROUND SURFACE

4. RoHS COMPLIANT





FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	S1	\$2	EFL	150		Edmund Ontice	
SHAPE	CONVEX	PLANO	BFL	148.25		Edmund Optics®	
RADIUS	77.52	INFINITY				12.7mm H X 12.7mm L X 150mm FL NIR I,	
SURFACE QUALITY	60-40	60-40	THIRD ANGLE PROJECTION	$\bigoplus \bigoplus$	TITLE	CYLINDER LENS	
CLEAR APERTURE	11.43 x 11.43	11.43 x 11.43		ı			_
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	all dims in	mm	DWG NO		SHEET 1 OF 1