## NOTES:


1. SUBSTRATE MATERIAL: N-BK7


2. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: MgF2 (400-700nm) Ravg ≤1.75% @ 400 - 700nm

3. FINE GROUND EDGES

4. RoHS COMPLIANT





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2	EFL	400		<b>Edmund Optic</b>	<b>C</b> R
SHAPE	CONVEX	PLANO	BFL	393			,5°
SURFACE QUALITY	120-80	120-80	THIRD ANGLE PROJECTION		TITLE	100mm Dia x 400mm Focal Length, MgF2 Coated, PCX Condenser Lens	
RADIUS	206.7	8					
CLEAR APERTURE	Ø97.00	Ø97.00				· · · · · · · · · · · · · · · · · · ·	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	19907	SHEET 1 OF 1