

[See all 76 Products in Family](#)

# LightPath 355230 | 6.33mm Dia., 0.55 NA, BBAR (600-1050nm), Molded Aspheric Lens

See More by [Lightpath®](#)



Precision Molded Aspheric Lenses

Stock **#87-154** **20+ In Stock**

[Other Coating Options](#)

⊖ 1 ⊕ C\$119<sup>00</sup>

**ADD TO CART**

### Volume Pricing

Qty 1-10	C\$119.00 each
Qty 11-49	C\$107.10 each
Need More?	<a href="#">Request Quote</a>

### Product Downloads

### General

Thickness: 0.25 (t) (mm)  
Material: BK7

Compatible Window:

355230

Lightpath Lens Code:

Aspheric Lens

Type:

Typical Applications:  
Collimate or Focus Laser Light

## Physical & Mechanical Properties

6.33 ±0.020	Diameter (mm):
5.07	Clear Aperture CA (mm):
1.67	Edge Thickness ET (mm):
2.71 ±0.05	Center Thickness CT (mm):
Protective as needed	Bevel:
2.834	Distance from Window to Lens (D) (mm):

## Optical Properties

4.51 @ 780nm	Effective Focal Length EFL (mm):
0.55	Numerical Aperture NA:
<a href="#">D-ZLaF52LA</a>	Substrate: □
±1	Focal Length Tolerance (%):
780	Aspheric Design Wavelength (nm):
BBAR (600-1050nm)	Coating:
R <sub>abs</sub> <1.0% @ 600 - 1050nm	Coating Specification:
40-20	Surface Quality:
0.91	f#:
40.79	Abbe Number (v <sub>d</sub> ):
1.806	Index of Refraction (n <sub>d</sub> ):
600 - 1050	Wavelength Range (nm):
3.08	Working Distance (mm):
Infinite	Conjugate Distance:
780.00	Focal Length Specification Wavelength (nm):
< 0.09	Transmitted Wavefront Error (λ, RMS):

## Material Properties

6.9	Coefficient of Thermal Expansion CTE (10 <sup>-6</sup> /°C):
-----	--

## Environmental & Durability Factors

≤200	Operating Temperature (°C):
------	-----------------------------

## Regulatory Compliance

<a href="#">Compliant</a>	RoHS 2015:
<a href="#">View</a>	Certificate of Conformance:
<a href="#">Compliant</a>	Reach 247:

## Product Details

- Eliminate Spherical Aberration
- Multiple Coating Options Available
- Range of Numerical Apertures

LightPath® Geltech™ Molded Aspheric Lenses are used to eliminate spherical aberration and improve focusing and collimating accuracy in a variety of laser applications. Low NA aspheric lenses are designed to maintain beam shape, while high NA lenses gather all available light to maintain beam power over long distances. LightPath® Geltech™ Molded Aspheric Lenses are ideal for applications including sighting systems, bar code scanners, laser



## Technical Information

